narkose.ch Post-medical procedures datasheet for care at home

Actions (for the first 24 hours)

Only go home if you can be accompanied. Your reactions and reflexes will be limited, so you will not be able to drive a car yourself. Remain at home; do not go out. Make sure you are not alone. Do not drink alcohol. Do not sign any important documents.

Pain

Painkillers are administered during the operation, and these also last for the first few hours after the operation. We will also provide you with tablets which you/your child can take every 6 hours unless otherwise prescribed.

Nausea/Vomiting

As this does not usually occur after medical procedures, we will not initially give you any medication to take at home. If needed, Itinerol B6 can be obtained from the pharmacy: in suppository form for your child, and in tablet form for you.

Eating/Drinking

Eating and drinking is permitted as soon as you/your child feel fit and hungry/thirsty (unless your surgeon has prescribed otherwise).

Please contact us if you have any queries/concerns.

Your anaesthetist:

narkose.ch, Huobmattstrasse 3, 6045 Meggen Tel. 041 379 70 30 Fax 041 379 70 31
www.narkose.ch E-mail: info-meggen@narkose.ch
narkose.ch, Deisrütistrasse 7, 8472 Seuzach Tel. 052 320 01 20 Fax 052 320 01 21
www.narkose.ch E-mail: info-winterthur@narkose.ch